

Fabric Color #14:

Cut four (4) 4-1/2" by 42" strips from color #14 for Temp E1-8 and E1-2.

Cut one (1) 7" by 42" strip from color #14 for Template E3-3 Layout Sheet.


Cut four (4) 2-1/2" by 42" strips from color #14 for Temp C1-2.

Cut eight (8) 2-1/2" by 42" strips from color #14 for Temp C3-2.


Cut one (1) 10-1/2" by 42" strip from color #14 for Temp E2-6.

Clip the template pieces listed for each set of strips onto the fabric. Then proceed with the instructions below for each template.

Temp E1-8 & Temp E1-2: Open the 4-1/2" strips. Stack two (2) strips *wrong-side-up* and two (2) strips *right-side-up*. Position both **Temp E1-8** and **Temp E1-2** onto the fabric.



Open and stack the 4-1/2" by 42" strips before cutting.




Cut four (4) pieces for each template, then slice each templates on the *cut-line* to yield eight (8) pieces for both templates.

Separate the pieces into two piles *right-side-up*. Clip the templates and fabric pieces together for each template and place both sets into Bag #9.

Template E3-3, Layout Sheet: Fold the 7" strip in half with *wrong-sides-together*. Position the **Template E3-3, Layout Sheet** onto your strip and cut four (4) pieces to fit under the layout sheet.




Fold the 7" by 42" strip before cutting.



Stack two (2) pieces *wrong-side-up* and two (2) pieces *right-side-up* into one pile.

Position the **Template E3-3, Layout Sheet** onto your fabrics and cut the sections apart.



Separate the pieces into two piles *right-side-up*. Clip the templates and fabric pieces together for each section with a binder clip and place them into Bag #7.


Temp C1-2: Fold four (4) 2-1/2" strips in half with *wrong-sides-together*. Layer the strips on top of each other. Position **Temp C1-3** onto the fabric.



Fold the 2-1/2" by 42" strips before cutting.

Cut eight (8) pieces, then slice the template on the *cut-line* to yield sixteen (16) pieces.

Separate the pieces into two piles *right-side-up*. Clip the templates and fabric pieces together and place the pieces into Bag #4.



Temp C3-2: Open and stack four (4) strips *wrong-side-up* and four (4) strips *right-side-up*. Layer the strips on top of each other.



Open and stack the 2-1/4" by 42" strips before cutting.

Position **Temp C3-2** onto the fabric. Cut eight (8) pieces, then slice the template on the *cut-line* to yield sixteen (16) pieces.

Separate the pieces into two piles *right-side-up*. Clip the templates and fabric pieces together and place the pieces into Bag #6.


Temp E2-6: Fold the 10-1/2" strip in half with *wrong-sides-together*. Position **Temp E2-6** onto the fabric and cut four (4) pieces.



Fold the 10-1/2" by 42" strip before cutting.

Restack the pieces and slice the template on the *cut-line* to yield eight (8) pieces.

Separate the pieces into two piles *right-side-up*. Clip the templates and fabric pieces together and place them into Bag #8.



Fabric Color #15:

Cut five (5) 3-1/4" by 42" strips from color #15 for the LS Units.

Cut two (2) 4-1/2" by 42" strips from color #15 for Temp E1-6.

Cut one (1) 18" by 42" strip from color #15 for Temp E2-10, Temp E2-4 and Template E3-3 Layout Sheet.


Clip the template pieces listed for each set of strips onto the fabric. Then proceed with the instructions below for each template.

Unit LS Strips: Place two (2) 3-1/4" strips into Bag #2 and the other three (3) 3-1/4" strips into Bag #3. Mark the strips with Color #15.

Fabric Color #17:



Cut two (2) 21" by 42" strips from color #17 for Temp E2-5, Temp E1-9, E1-1, and Template E3-2 Layout Sheet.

Open and stack both strips *wrong-sides-together*. Position the template pieces onto the fabric and proceed with the cutting instructions for each template.





Open and stack the 21" by 42" strips before cutting.

Temp E2-5: Cut and stack four (4) pieces with *wrong-sides-together*. Position the template pieces onto the fabric. Separate the pieces into two piles *right-side-up*. Clip the templates and fabric pieces together and place them into Bag #8.




Temp E1-9: Cut and stack four (4) pieces with *wrong-sides-together*. Then slice the template on the *cut-line* to yield eight (8) pieces. Clip the templates and fabric pieces together and place them into Bag #9.

Temp E1-1: Cut and stack four (4) pieces with *wrong-sides-together*. Then slice the template on the *cut-line* to yield eight (8) pieces. Separate the pieces into two piles *right-side-up*. Clip the templates and fabric pieces together and place them into Bag #8.



Template E3-2, Layout Sheet: Position the **Template E3-2, Layout Sheet** onto your strip and cut two (2) pieces to fit under the layout sheet.

Stack both pieces *wrong-sides-together*. Position the **Template E3-2, Layout Sheet** onto your fabrics and cut apart the sections.



Separate the pieces into two piles *right-side-up*. Clip the templates and fabric pieces together for each section with a binder clip and place them into Bag #7

Stacking the Templates: When the cutting is completed, separate the left and right pieces for each unit. The templates and fabric pieces should be clipped together for each section with the fabrics facing *right-side-up*. Stack the pieces for each section in chronological order, matching the sew-sides along one edge. **This is demonstrated on page 24.*

Bag #1: Unit A: Stack the pieces for each section *right-side-up*. Sec. 9 color #11 is on the bottom, Sec. 1, color #9 is on the top.

Sec. 9: A-5, Color #11,
Sec. 7: A-4, Color #1,
Sec. 5: A-3, Color #10,
Sec. 3: A-2, Color #1,
Sec. 1: A-1, Color #9,

Sec. 8: A-5, Color #8,
Sec. 6: A-4, Color #1,
Sec. 4: A-3, Color #10,
Sec. 2: A-2, Color #1,

Bag #2: Units LS-1 to LS-5: These strips are stacked later.

Temp LS-1, Color #1,
1-Strip: Each of Colors, 4, 6, & 12.
2-Strips: Each of Colors, 1, 2, 3, 5, 7, 10, 13, & 15.

Bag #3: Unit LS-6: These strips are stacked later.

1-Strip: Each of Colors, 11 & 12.
2-Strips: Each of Colors, 4 & 9.
3-Strips: Each of Colors, 3, & 15.
4-Strips: Each of Color, 7.

Bag #4: Unit C1: Stack the pieces for each section *right-side-up*. C1-5 color #12 is on the bottom, C1-1 color #8 is on the top.

C1-5, Color #12, C1-4, Color #12, C1-3, Color #13,
C1-2, Color #14, C1-1, Color #8,

Bag #5: Unit C2: Stack the pieces for each section *right-side-up*. Sec. 8, color #2 is on the bottom, Sec. 1, color #12 is on the top.

Sec. 8: Temp C2-4, Color #2
Sec. 6: Temp C2-2, Color #2
Sec. 4: Temp C2-2, Color #2
Sec. 2: Temp C2-2, Color #2
Sec. 7: Temp C2-3, Color #12
Sec. 5: Temp C2-3, Color #12
Sec. 3: Temp C2-3, Color #12
Sec. 1: Temp C2-1, Color #12

Bag #6: Unit C3: Stack the pieces for each section *right-side-up*. C3-5, color #11 is on the bottom, C3-1, color #8 is on the top.

C3-5, Color #11, C3-4, Color #12, C3-3, Color #13,
C3-2, Color #14, C3-1, Color #8,

Bag #7: Unit E3: Stack the pieces for each section *right-side-up*. Sec. 10 color #2 is on the bottom, Sec. 1, color #13 is on the top.

Sec. 10: Temp E3-2, Color #2
Sec. 8: Temp E3-2, Color #17
Sec. 6: Temp E3-2, Color #16
Sec. 4: Temp E3-2, Color #3
Sec. 2: Temp E3-2, Color #2
Sec. 9: Temp E3-3, Color #14
Sec. 7: Temp E3-3, Color #15
Sec. 5: Temp E3-3, Color #13
Sec. 3: Temp E3-3, Color #14
Sec. 1: Temp E3-1, Color #13


Bag #8: Unit E2: Stack the pieces for each section *right-side-up*. E2-11 color #16 is on the bottom, E2-1, color #3 is on the top.

E2-11, Color #16, E2-10, Color #15, E2-9, Color #3
E2-8, Color #13, E2-7, Color #2, E2-6, Color #14,
E2-5, Color #17, E2-4, Color #15, E2-3, Color #16,
E2-2, Color #13, E2-1, Color #3,

Bag #9: Unit E1: Stack the pieces for each section *right-side-up*. E1-9 color #17 is on the bottom, E1-1, color #17 is on the top.

E1-9, Color #17, E1-8, Color #14, E1-7, Color #16,
E1-6, Color #15, E1-5, Color #3, E1-4, Color #13,
E1-3, Color #2, E1-2, Color #14, E1-1, Color #17,


Step 8: Place a ruler on the papers. Line the edge of the ruler up between the strips. Carefully cut the eight sections apart between the papers, stacking them as you cut.



Units: LS-3, LS-4, & LS-5: Make (8) of each unit.

The strip piecing process is the same for these units except for two minor changes. The number of sections is different along with the addition of the half diamond, which is the final piece sewn onto each strip.

Template LS-1: Was used to cut the fabric pieces for the half diamond section, which is the last section on each foundation paper.



Step 1: After the last strip has been sewn onto the foundation paper, fold back the paper on the last line. Trim a quarter-inch-seam allowance with the add-a-quarter ruler.

Step 2: Place the pieces cut with the LS-1 template next to the folded back triangle.

Step 3: Lift the foundation paper and slide the fabric pieces under Sec. 3. Open the paper and sew on the line.

Once the strip piecing is completed, trim the excess fabric and paper off from around the foundation units. Do not remove the foundation paper.



Completing the LS-1 through LS-5 Star Units:

Arrange the colors for each strip into the order they will be sewn together.

Step 1: Position LS-4 onto the top of LS-5. Position both strips *right-sides-together* with LS-5 on the bottom and LS-4 on the top. Match and pin both pieces together at each cross-sections on the 1/4" seam allowance.

Once the pieces are pinned together, remove the foundation papers from the LS-5 unit on the bottom without disturbing the pins. Sew both strips together with LS-5 next to the feed dogs. Press the seam towards the LS-5 unit.


Step 2: Position LS-3 onto the top of LS-4. Position both strips *right-sides-together* with LS-4 on the bottom and LS-3 on the top. Match and pin both pieces together at each cross-sections on the 1/4" seam allowance.

Once again, remove the foundation papers from the LS-4 units without disturbing the pins. Sew both strips together with LS-4 next to the feed dogs. Press the seams toward the LS-4 units.


Step 3: Position LS-2 onto the top of LS-3. Position both strips *right-sides-together* with LS-3 on the bottom and LS-2 on the top. Match and pin both pieces together at each cross-section.

Remove the foundation papers from the LS-3 unit without disturbing the pins. Sew both strips together with LS-3 next to the feed dogs. Press the seam towards the LS-3 unit.


Step 9: With the paper facing up place the fold template over Sec. 2. Line the edge of the fold template up with Line 2 on the paper.



Step 10: Fold the paper back over the top of the fold template. Place the add-a-quarter ruler next to the folded back section on the paper, lip side down, and trim the fabric with your rotary cutter. This leaves you with a quarter inch seam allowance.



Leave the papers folded back after you trim each section with the add-a-quarter, then stack the pieces as you cut.



Step 11: Place fabric #3 at your machine on the feed dogs *right-side-up*. Position the first piece onto the strip as shown. Sec. 3 must have fabric under it when the paper is folded back. Match the 1/4" seam allowance up with the edge of fabric #3.



Step 12: Open the foundation paper and begin sewing on Line 2. Stop before you get to the end of the first paper and position a second unit onto the fabric strip. Continue to

add each piece until all eight papers are sewn onto fabric #3.

Repeat the same steps for Sec. 4 & 5 on the LS-1 units.

When you are finished sewing the LS-1 units, repeat the entire process for the LS-2 units.






Step 4: Position LS-1 onto the top of LS-2. Position both strips **right-sides-together** with LS-2 on the bottom and LS-1 on the top. Match and pin both pieces together at each cross-section.

Remove the foundation papers from the LS-2 units without disturbing the pins. Sew both strips together with LS-2 next to the feed dogs..

Step 5: When the stars are completed remove the foundation paper from the LS-1 units and press the seams toward the LS-2 units.

Step 6: The A-units are now sewn onto the LS-Units to complete the star points.

Step 7: After the center compass units are sewn onto each star point, remove the foundation paper from the A Units. The seams on each point are pressed in opposing directions. When you are finished set the star points aside and continue with the paper piecing on the next unit.



Foundation Paper Piecing: Part Two, Unit LS-6, Bag #3, Make (8) sets for each row.

You should have thirty-two (32) LS-6 papers. Divide the papers into four (4) stacks of eight pieces. Label each stack, 'Row 1-4'.

Stacking the Fabric Strips: Stack the strips, **right-side-up**, with the fabric for Sec. 1 on the top, and the fabric for sec. 4 on the bottom.

Unit LS-6: Row 1:

Sec. 1: Sec. 2: Sec. 3: Sec 4:
Color-11: Color-9: Color-15: Color-7

Unit LS-6: Row 2:

Sec. 1: Sec. 2: Sec. 3: Sec 4:
Color-9 Color-15 Color-7: Color-3:

Unit LS-6: Row 3:

Sec. 1: Sec. 2: Sec. 3: Sec 4:
Color-15: Color-7: Color-3: Color-4:

Unit LS-6: Row 4:

Sec. 1: Sec. 2: Sec. 3: Sec 4:
Color-7: Color-3: Color-4: Color-12:

After the strips are stacked, position the fabrics **right-side-up** and trim the angle on each strip.

Note: Pay attention to the angle in the graphic. The angle is cut in the opposite direction as the angles shown on page 15.

Fabric #1, Wrong Side up

Fabric #2, position underneath Fabric #1

Strip Piecing LS-6 Units:

Step 1: Position Fabric #1 and Fabric #2 **right-sides-together** with Fabric #1 on the top and Fabric #2 underneath. Refer to the graphic at the left for the position of each angle. Fabric #2 is the dark shaded area and sets under Fabric #1.

Step 2: Position the foundation paper for LS-1 onto both layers of fabrics. Line up the dotted line on the foundation paper that runs parallel to Line 1 along the edge of both fabrics. Place a flower pin through Sec. 1 and pin the foundation paper to both strips of fabric.


Continue sewing the foundation papers onto the strips by repeating the same sewing process that you used for the LS-1 and LS-2 strips.

Completing the LS-6 Star Units:


Step 1: Sew Row 3, onto Row 4, remove the paper from Row 4 and press the seam towards Row 4.

Step 2: Sew Row 2, onto Row 3, remove the paper from Row 3 and press the seam towards Row 3.

Step 3: Sew Row 1, onto Row 2, remove the paper from Row 2 and 1 and press the seam towards Row 2.




Part Two, Unit C-1, Bag #4, Make (8) Right and (8) Left.




Step 1: Position the foundation paper for Unit C1-R, **right-side-up** on your table as shown above.

Note: If you are new to foundation paper piecing, turn the foundation paper over and trace the dotted lines on the backside of the paper on your first piece.




Step 2: Place a small amount of fabric glue on the wrong side of the paper under Sec. 1.



Step 3: Position the first piece of fabric for Sec. 1 **wrong-side-up** on your table. Lift the foundation paper and position Sec. 1 over the fabric with the **wrong-side** of the paper glued to the **wrong-side** of the fabric. Make sure the underneath side of Sec. 1 is covered. The fabric must extend beyond the dotted lines located next to Sec. 1.

Step 4: Place the fold template over the top of Sec. 1. Line the edge of the fold template up with the solid dark line marked Line 1. Fold the paper back over the top of the fold template.



Step 5: Place the add-a-quarter ruler next to the folded back section on the paper lip-side down and trim the fabric with your rotary cutter. This leaves you with a quarter-inch seam allowance with which to line up the next piece of fabric.

