







▶ (1) NP 1212




▶ (1) TP 1060



▶ (2) TP 1059



▶ (1) TP 1061



Step 3: Clip the *Temp S-2* to *Foundation Sheet B2* and the *Temp S-1* to *Foundation Sheet B1* and place into Bag #B1.

► Fabric BL4

Templates Used:

- Re-use the Previous Temps S-1 & S-2

Step 1: Cut (1) 3" x 42" strip from *Fabric BL4*. Place the strip *right-side up* on the cutting surface.



Step 2: Cut (2) pieces the size of *Temp S-1* and *S-2*.



Step 3: Clip the *Temp S-2* to *Foundation Sheet B2* and the *Temp S-1* to *Foundation Sheet B1* and place into Bag #B1.


► Fabric BL5

Templates Used:

- TLS #1, #2 & #3 (You have (2) of TLS #1 and #2. Reserve (1) of each for the BS Fabrics.)

Step 1: Cut (2) 4" x 42" strips from *Fabric BL5* and place them *right-side up*. Do not stack.

Step 2: Place *TLS #1, #2, and #3* on the strips and cut (1) piece the size of *TLS #1 and #3*, and (6) the size of *TLS #2*.



Step 3: Stack the pieces cut with each TLS (if necessary), into one stack. Then, place the TLS on top. Cut apart the Template and fabrics beneath on the cut lines. Clip the stacks together. Clip them to the corresponding Units in Bag #B2. Note that you should use the same (12) Unit B6 for the long edge fabrics, and the other (12) Unit B6 for the Short edge fabrics in the next section. It might be helpful to have sub-bags for each unit if desired.



► Fabric BL6

Templates Used:


- TLS #4, #5 & #6 (You have (2) of TLS #4 and #5. Reserve (1) of each for the BS Fabrics.)

Step 1: Cut (2) 4" x 42" strips from *Fabric BL6* and place them *right-side up*. Do not stack.

Step 2: Place *TLS #4, #5, and #6* on the strips and cut (1) piece the size of *TLS #4 and #6*, and (6) the size of *TLS #5*.



Step 3: Stack the pieces cut with each TLS (if necessary), into one stack. Then, place the TLS on top. Cut apart the Template and fabrics beneath on the cut lines. Clip the stacks together. Clip them to the corresponding Units in Bag #B2. It might be helpful to have sub-bags for each unit if desired.




► Fabric BL7

Templates Used:


- TLS #7, #8 & #9 (You have (2) of TLS #7 and #8. Reserve (1) of each for the BS Fabrics.)

Step 1: Cut (2) 4" x 42" strips from *Fabric BL7* and place them *right-side up*. Do not stack.

Step 2: Place *TLS #7, #8, and #9* on the strips and cut (1) piece the size of *TLS #7 and #9*, and (6) the size of *TLS #8*.



Step 3: Stack the pieces cut with each TLS (if necessary), into one stack. Then, place the TLS on top. Cut apart the Template and fabrics beneath on the cut lines. Clip the stacks together. Clip them to the corresponding Units in Bag #B2. It might be helpful to have sub-bags for each unit if desired.



► Fabric BL8

Templates Used:


- TLS #10, #11 & #12 (You have (2) of TLS #10 and #11. Reserve (1) of each for the BS Fabrics.)

Step 1: Cut (2) 4" x 42" strips from *Fabric BL8* and place them *right-side up*. Do not stack.

Step 2: Place *TLS #10, #11, and #12* on the strips and cut (1) piece the size of *TLS #10 and #12*, and (6) the size of *TLS #11*.



Step 3: Stack the pieces cut with each TLS (if necessary), into one stack. Then, place the TLS on top. Cut apart the Template and fabrics beneath on the cut lines. Clip the stacks together. Clip them to the corresponding Units in Bag #B2. It might be helpful to have sub-bags for each unit if desired.



► Fabric BS2


Templates Used:

- Re-use the Temp S-1 & S-2

Step 1: Cut (1) 3" x 42" strip from *Fabric BS2*. Place the strip **right-side up** on the cutting surface.



Step 2: Cut (1) piece the size of *Temp S-1 and S-2* for the 24" Panel or (2) pieces the size of *Temp S-1 and S-2* for the 30" and 36" panels.



Step 3: Clip the *Temp S-2* to *Foundation Sheet B4* and the *Temp S-1* to *Foundation Sheet B3* and place into Bag #B1.

► Fabric BS3


Templates Used:

- Re-use Temp S-1 & S-2

Step 1: Cut (1) 3" x 42" strip from *Fabric BS3*. Place the strip **right-side up** on the cutting surface.



Step 2: Cut (1) piece the size of *Temp S-1 and S-2* for the 24" Panel or (2) pieces the size of *Temp S-1 and S-2* for the 30" and 36" panels.



Step 3: Clip the *Temp S-2* to *Foundation Sheet B4* and the *Temp S-1* to *Foundation Sheet B3* and place into Bag #B1.

► Fabric BS4


Templates Used:

- Re-use Temp S-1 & S-2

Step 1: Cut (1) 3" x 42" strip from *Fabric BS4*. Place the strip **right-side up** on the cutting surface.



Step 2: Cut (1) piece the size of *Temp S-1 and S-2* for the 24" Panel or (2) pieces the size of *Temp S-1 and S-2* for the 30" and 36" panels.



Step 3: Clip the *Temp S-2* to *Foundation Sheet B4* and the *Temp S-1* to *Foundation Sheet B3* and place into Bag #B1.

► Fabric BS5


Templates Used:

- TLS #1 & #2


Step 1: Cut (2) 4" x 42" strips from *Fabric BS5* and place them **right-side up**. Do not stack.

Step 2: Place *TLS #1 and #2* on the strips and cut (1) piece the size of *TLS #1* and for *TLS #2*, cut according to the size of your panel:

- 24" Panel: (4) the size of *TLS #2*.
- 30" Panel: (5) the size of *TLS #2*.
- 36" Panel: (6) the size of *TLS #2*.



Step 3: Stack the pieces cut with each TLS (if necessary), into one stack. Then, place the TLS on top. Cut apart the Template and fabrics beneath on the cut lines. Clip the stacks together. Clip them to the corresponding Units in Bag #B2. Note that you should now be using the Unit B6 for the Short Edge fabrics. If you are making a smaller size, you can discard the excess Unit B6 at this point in time. It might be helpful to have sub-bags for each unit if desired.



► Fabric BS6


Templates Used:

- TLS #4 & #5


Step 1: Cut (2) 4" x 42" strips from *Fabric BS6* and place them **right-side up**. Do not stack.

Step 2: Place *TLS #4 and #5* on the strips and cut (1) piece the size of *TLS #4* and for *TLS #5*, cut according to the size of your panel:

- 24" Panel: (4) the size of *TLS #5*.
- 30" Panel: (5) the size of *TLS #5*.
- 36" Panel: (6) the size of *TLS #5*.



Step 3: Stack the pieces cut with each TLS (if necessary), into one stack. Then, place the TLS on top. Cut apart the Template and fabrics beneath on the cut lines. Clip the stacks together. Clip them to the corresponding Units in Bag #B2. It might be helpful to have sub-bags for each unit if desired.



► Fabric BS7


Templates Used:

- TLS #7 & #8


Step 1: Cut (2) 4" x 42" strips from Fabric BS7 and place them *right-side up*. Do not stack.

Step 2: Place TLS #7 & #8 on the strips and cut (1) piece the size of TLS #7 and for TLS #8, cut according to the size of your panel:

- 24" Panel: (4) the size of TLS #8.
- 30" Panel: (5) the size of TLS #8.
- 36" Panel: (6) the size of TLS #8.



Step 3: Stack the pieces cut with each TLS (if necessary), into one stack. Then, place the TLS on top. Cut apart the Template and fabrics beneath on the cut lines. Clip the stacks together. Clip them to the corresponding Units in Bag #B2. It might be helpful to have sub-bags for each unit if desired.



► Fabric BS8


Templates Used:

- TLS #10 & #11


Step 1: Cut (2) 4" x 42" strips from Fabric BS8 and place them *right-side up*. Do not stack.

Step 2: Place TLS #10 and #11 on the strips and cut (1) piece the size of TLS #10 and for TLS #11, cut according to the size of your panel:

- 24" Panel: (4) the size of TLS #11.
- 30" Panel: (5) the size of TLS #11.
- 36" Panel: (6) the size of TLS #11.



Step 3: Stack the pieces cut with each TLS (if necessary), into one stack. Then, place the TLS on top. Cut apart the Template and fabrics beneath on the cut lines. Clip the stacks together. Clip them to the corresponding Units in Bag #B2. It might be helpful to have sub-bags for each unit if desired.



► Fabric BS9


Templates Used:

- TLS #13 & #14

Step 1: Cut (1) 13-1/2" x 42" strip from Fabric BS9 and place it *right-side up*.

Step 2: Place TLS #13 & #14 on the strip and cut (1) piece the size of TLS #13 and for TLS #14, cut according to the size of your panel:

- 24" Panel: (4) the size of TLS #14.
- 30" Panel: (5) the size of TLS #14.
- 36" Panel: (6) the size of TLS #14.



Step 3: Stack the pieces cut with each TLS (if necessary), into one stack. Then, place the TLS on top. Cut apart the Template and fabrics beneath on the cut lines. Clip the stacks together. Clip them to the corresponding Units in Bag #B2. It might be helpful to have sub-bags for each unit if desired.

